## TAIZHOU FOXSEW SEWING MACHINE CO.,LTD

Tel: 0086-576-88203637 Fax: 0086-576-88203752 E-mail: <u>sales@foxsew.com</u> and <u>foxsew@hotmail.com</u>

Website: www.foxsew.com

### **Electronic Pattern Sewing Machine**



Product Name: Electronic Pattern Sewing Machine

Model NO.: FX-210D
Origin: Zhejiang, China
Brand Name: FOXSEW

#### Characteristics:

- 1. Exquisite stitches, reliable floriation sewing.
- 2. Highest sewing speed 2,700rpm (Using the stitch length of 3.5mm)
- 3. Strong frame needle penetrating to easily position the textiles.
- 4. Using big presser foot of two steps descending to easily position the textiles.
- 5. Low power consumption, economical and practical.
- 6. Sewing completely according to stitching data.
- 7. Raising amount of the presser foot can be adjusted easily by the operation board.
- 8. It uses the simple program editor PD-300(options).
- 9. High Speed Sewing With Fair Lines Achieves The Fastest Sewing Speed In The World, Excellent Sewing Quality And high efficiency as well as energy saving.
- 10. Adopting servo control and textile feed device with enhanced rigidity, thus, high-exquisite

patterns can be sewed, even while sewing with high speed or sewing thick textiles, bad stitches

## TAIZHOU FOXSEW SEWING MACHINE CO.,LTD

Tel: 0086-576-88203637 Fax: 0086-576-88203752 E-mail: <a href="mailto:sales@foxsew.com">sales@foxsew.com</a> and <a href="mailto:foxsew@hotmail.com">foxsew@hotmail.com</a>

Website: www.foxsew.com

and deviation problems which often occur to computer floriation machines would not



# **TAIZHOU FOXSEW SEWING MACHINE CO.,LTD**Tel: 0086-576-88203637 Fax: 0086-576-88203752

Tel: 0086-576-88203637 Fax: 0086-576-88203752 E-mail: <u>sales@foxsew.com</u> and <u>foxsew@hotmail.com</u>

Website: www.foxsew.com



### Specifications:

Model NO.	FX-210D
Stitch Type	Single Needle Lockstitch
Working Area	130 X 60 MM
Max. Sewing Speed	2700 r.p.m
Speed Setting	200-2700 r.p.m
Feeding Mode	Intermittent, continuous feeding (switchable)
Stitch Length	0.1-12.7 mm (min. resolution 0.1 mm)
Expansion, Zoom out function	10-200% for X axis and Y axis respectively (min.
	resolution 0.1%)
Max. needles	8000 needle/pattern
Needle	DP*17 (#18)
Rotating Shuttle	Semi-rotation double rotating shuttle
Work Holder lift	25-30 mm
Stepping foot lift	20 mm
Stepping foot stroke	4-10 mm
Presser foot type	Air Pressure Type
Spindle Motor	400W Direct drive return servo Motor
Weight	120 KGS

# **TAIZHOU FOXSEW SEWING MACHINE CO.,LTD**Tel: 0086-576-88203637 Fax: 0086-576-88203752

Tel: 0086-576-88203637 Fax: 0086-576-88203752 E-mail: <u>sales@foxsew.com</u> and <u>foxsew@hotmail.com</u>

Website: www.foxsew.com

Packing Size 1200 X 860 X 1170 MM

